



Indian Priority Pathogen List

TO GUIDE RESEARCH, DISCOVERY AND DEVELOPMENT OF NEW ANTIBIOTICS IN INDIA

Developed by

WHO Country Office for India

in collaboration with

Department of Biotechnology, Government of India

Indian Priority Pathogen List (IPPL)

TO GUIDE RESEARCH, DISCOVERY AND DEVELOPMENT OF NEW ANTIBIOTICS IN INDIA

Antimicrobial resistance (AMR) is one of the top 10 global health threat faced by the world today and can have a major impact on the economy, society, food safety and public health. Infections caused by antibiotic-resistant pathogens substantially amplify the burden of both healthcare-associated and community-acquired infections. To minimize the emergence and spread of AMR, coordinated actions are required at the global, national and sub-national levels.

AMR – a national priority

The National Health Policy 2017 highlights the problem of antimicrobial resistance and calls for a rapid standardization of guidelines regarding antibiotic use, limiting the use of antibiotics as over-the-counter medications, banning or restricting the use of antibiotics as growth promoters in animal livestock, and pharmacovigilance including prescription audits inclusive of antibiotic usage — in the hospital and community. The Ministry of Health & Family Welfare (MoHFW), Government of India notified the governance mechanisms to address the challenge of AMR — the intersectoral coordination committee, Technical Advisory Group and the Core Working Group on AMR, who jointly developed the National Action Plan on Antimicrobial Resistance (NAP-AMR).

Delhi Declaration on Antimicrobial Resistance is an inter-ministerial consensus by ministers and policy-makers from the Government of India, who also endorsed the NAP-AMR at the Inter-Ministerial Consultation on AMR on 19 April 2017. The strategic priority 5 of NAP-AMR aims to promote investments for AMR activities, research and innovations through new medicines and diagnostics, innovations to develop alternative approaches to manage infectious diseases, and sustainable financing to ensure adequate resources for containment of AMR.

DBT - Mission AMR

Considering AMR as a national priority, under NAP-AMR endorsed by Government of India, the Department of Biotechnology (DBT) initiated a major mission program on antimicrobial resistance with the vision to develop indigenous and cost-effective therapies against antimicrobial resistance, categorization of AMR specific pathogen priority list of India, establishment of bio-repository for AMR-specific pathogens, and development of rapid and cost-effective diagnostic kits to identify AMR-specific pathogens.

WHO - AMR is a priority

WHO declared AMR to be one of the top ten global public health threats facing humanity in 2019. Currently, 143 countries (with 90% of the world population) including the 11 Member States of WHO South East Asia Region have developed a National Action Plan to address AMR. The WHO India Country Cooperation Strategy 2019-2023 recognizes containment of antimicrobial resistance as a priority. WHO headquarters and the WHO Regional Office for South-East Asia also identify containment of AMR as a flagship priority.

The WHO Country Office for India collaborated with the Department of Biotechnology to develop the list of drug resistant microbial pathogens of national relevance, in alignment with the global priority list of antibiotic-resistant bacteria to guide research, discovery and development of new antibiotics (WHO, 2017). This list shall help to facilitate prioritization of research and development of new and effective antibiotics from Indian perspective.

Objectives

The objectives of the IPPL are to

- guide the prioritization of research on AMR, including incentives and funding;
- help align R&D priorities with Indian public health needs; and
- support India's leadership in containment of antibiotic resistant bacteria.

The IPPL shall be useful for policy initiatives to incentivise basic science and advanced R&D by both public funding agencies and the private sector investing in new antibiotics.

Scope

The scope of IPPL is to identify the most important resistant bacteria at the national level in India for which there is an urgent need to develop novel drugs and treatments. Mycobacteria (including *Mycobacterium tuberculosis*) were not included in this prioritization exercise as it is a well-established global and national priority for which innovative new treatments are urgently needed and being developed. The IPPL shall be reviewed and revised periodically to broaden the scope to include other priority pathogens in future.

Methodology

The following steps were followed for developing the IPPL:

- 1. Desk review of biomedical literature on key antibiotic resistant bacteria in the Indian context:
- 2. Analysis of available data and information on bacterial drug resistance mechanisms;
- 3. Prepare draft list of prioritized antibiotic-resistant bacteria and key resistance mechanisms; and
- 4. Review and finalization of the list of top-10 bacterial drug-resistant pathogens.

Literature search and analyses

Evidence for each criterion were obtained from multiple sources, including

- Systematic reviews and articles in published literature.
- Reports from AMR surveillance networks (coordinated by National Centre for Disease Control and Indian Council of Medical Research) for antibiotic resistant bacteria in India, and
- Databases of Indian biomedical literature (IndMed/MedInd).

In alignment with global priority pathogen list, data was collated for the following criteria, subject to availability of information – all-cause mortality, healthcare and community burden, prevalence of resistance, 10-year trend of resistance, transmissibility, preventability in hospital and community settings, treatability and current pipeline – with an Indian perspective.

Based on the literature search, data was analysed to define the list of common bacterial species and resistance mechanisms. The information obtained from literature search was used to prioritize the drug resistance in key organisms by a scoring system. This information was further used to develop a questionnaire (annex 1), which was sent to an identified list of national experts, based on their expertise and publications. More than 60 experts having varied backgrounds—infectious diseases, clinical microbiology, R&D, Infection prevention and control (healthcare associated infections), public health, paediatric and intensive care—were engaged in the criteria weighting process through an online questionnaire using SurveyMonkey.

Finalization of the ranking of pathogens in IPPL

The results of the prioritization exercise were reviewed by an invited group of experts with expertise across various domains, with geographical representation, at the Informal Consultation to Finalise the Indian Priority Pathogen List (IPPL) organized by WHO Country Office for India on 15 July 2019.

In alignment with Global PPL, the experts grouped the bacterial pathogens according to the species and resistance, further stratified into three priority tiers – critical, high and medium.

INDIAN PRIORITY PATHOGEN LIST

CRITICAL PRIORITY				
Enterobacteriaceae (Klebsiella pneumoniae and Escherichia coli)	Carbapenem – R Tigecycline – R Colistin – R			
Non-fermenting bacteria (Acinetobacter baumannii and Pseudomonas aeruginosa)	Carbapenem – R Colistin – R			
нідн	PRIORITY			
Staphylococcus aureus	MRSA, hVISA Daptomycin – NS Linezolid – R			
Enterococcus species	Vancomycin – R Linezolid – R Daptomycin – NS			
Salmonella species (Typhoidal and Non-typhoidal)	Azithromycin – NS Third generation cephalosporins – NS Carbapenem – NS			
MEDIUM PRIORITY				
Streptococcus pneumoniae	Cephalosporin – R Fluoroquinolones – R Linezolid – R			
Staphylococcus, coagulase-negative	Vancomycin – R Linezolid – R			
Shigella species	Third generation cephalosporins – R Azithromycin – R			
Haemophilus influenzae	Third generation cephalosporin – NS Carbapenem – NS			
Neisseria meningitidis	Fluoroquinolones – NS Third generation cephalosporins – NS			

R: resistant; NS: non-susceptible; MRSA: methicillin resistant *Stoph. aureus*; hVISA: heterogenous vancomycin-intermediate *Staph. aureus*Mycobacteria (including *Mycobacterium tuberculosis*) were not included in this prioritization exercise as it is a well-established global and national priority for which innovative new treatments are urgently needed and being developed.

Limitations

The incidence and future burden of diseases assessment was not calculated or estimated. The national surveillance systems are currently unable to calculate the real burden and mortality associated with drug resistant infections, and mortality data based on drug-bug combinations is currently not available for the country. The IPPL was constrained by the lack of sufficient data or publications in the Indian context on burden of disease and antibiograms for bacteria like *Clostridium difficile*, Bacteroides species, Campylobacter species and *Helicobacter pylori*. There is relatively limited data on transmission of bacteria through food, livestock, bacterial spectrum, and antimicrobial susceptibility pattern of infections in animals in India.

Conclusion

AMR is a multifactorial and cross-sectorial issue, affecting human beings, animals, food, and environment. The IPPL proposes prioritizing research and development for discovering and developing new antibiotics which are important for public health and specifically active against multidrug and extensively drug-resistant Gram-negative bacteria. Strengthening of microbiology laboratories and prioritization of AMR surveillance is needed to monitor AMR trends at the community and hospital level. The IPPL categorizes bacterial pathogens according to the species and resistance into three priority tiers – critical, high and medium – to encourage efforts towards investments in containing AMR.

Acknowledgements

The World Health Organization Country Office for India and the Department of Biotechnology, Government of India thank the following experts for sharing their expertise to develop the IPPL.

Experts who answered the questionnaire

Aakansha P, BJWC Parel; Ajanta Sharma, GMC Guwahati; Amit KM, Fortis Mohali; Anil Kumar MD, AIMS Kochi; Anita Arora, Fortis Gurugram; Anita Sharma, Fortis Mohali; Anuj Sharma, WHO Delhi; Amandeep Kaur, AIMSR Bathinda; Apurba Sankar S, JIPMER Puducherry; Arvind MV, BJWH Parel; Arunasree M Kalle, SLS Hyderabad; Asad U Khan, AMU Aligarh; Balaji V, CMC Vellore; Barnali K, HIMS Dehradun; Bhabhatosh Dash, KMC Manipal; Bibhuti Bhusan P, RMRC Bhubaneshwar; Chanaveerappa B, JIPMER Puducherry; Chandradipa G, VU Medinipur; Chand Wattal, GRIPMER New Delhi; Camilla R, PDHH Mumbai; Bharat S, AIIMS New Delhi; Daman Saluja, BRACMR New Delhi; Dhanya D, ICH Kolkata; Dipankar Ghosh, JNU New Delhi; G Balakrish Nair, RGCB Thiruvananthapuram; Gulnaz B, SKIMS Srinagar; Inam Danish Khan, ACMS New Delhi; Ira Shah, SRCC Mumbai; J Madhukara, SJMCH Bengaluru; JJ Jain, CDDEP New Delhi; Jesinth M, CMC Vellore; Jovita S, BJWH Parel; Lathamani K, KVGMC Sullia; Lata Kapoor, NCDC Delhi; Madhusmita M, JIPMER Puducherry; Madhur Verma, GMC Karnal; Malavalli VB, MH Bengaluru; Manas Pratim R, VMMC New Delhi; Manish Kumar, CMC Vellore; Manish Soneja, AIIMS New Delhi; M Jeeva Sankar, AIIMS New Delhi; Neeraj KT, Hiranandani Mumbai; Neha Gupta, Medanta Gurugram; PA Mahesh, JSSMC Mysore; Padmaja K, NIMS Hyderabad; Poothakuzhiyil R, SRMCRI Chennai; Purva Mathur, AllMS-TC New Delhi; Rakesh KM, NRSMC Kolkatta; Rajni Gaind, VMMC New Delhi; Rajeev Soman, Jupiter Pune; Ramesh S, IAH Delhi; Ramesh V, Apollo Chennai; Roshan Rai, SSSIHL Puttaparthi; Saibal C, Metro NOIDA; Sangeeta Sharma, IHBAS Delhi; Seema Sood, AIIMS New Delhi; Shankar S, BJWH Parel; Shinjini B, THSTI Faridabad; Shrikant Pawar, NCMR Pune; Shruti Asati, BDSPGIMS Rohtak; Sidharth Chopra, CSIR-CDRI Lucknow; Sonia Jain, CSIR-IICB Kolkata; Sourabh Sharma, R&R New Delhi; Suhas A, BJWH Parel; Sumit Rai, PSSH NOIDA; Sunil Gupta, SJH New Delhi; Sushil Kabra, AIIMS New Delhi; Tanu Singhal, KDAHMRI Mumbai; Tuhina Banerjee, IMSBHU Varanasi; Udhayvir SG, GMC Patiala; Ujjwayini R, Apollo Kolkata; Vandana R, MAMC Delhi; Varsha Gupta, GMC Chandigarh; Vibhor Tak, CNBC New Delhi; Vijay Y, Apollo Mumbai; Vikas Gautam, PGIMER Chandigarh; Vikas Khillan, ILBS New Delhi; Vikas Manchanda, MAMC New Delhi; VK Chaudhary, SC New Delhi; Winsley R, CMC Vellore.

Participants of the Informal Consultation to Finalise the Indian Priority Pathogen List (IPPL)

Anuj Sharma, WHO Delhi; Neelam Taneja, PGIMER Chandigarh; Priscilla Rupali, CMC Vellore; Purva Mathur, AllMS-TC New Delhi; Sanjay Bhattacharya, TMC Kolkata; Sanjeev K Singh, AlMS Kochi; Vinita Chaudhary, DBT New Delhi; V. Balaji, CMC Vellore; Varinder Singh, KSCH New Delhi; Vikash Manchanda, MAMC New Delhi, Yogesh Shouche, NCMR Pune.

Overall coordination and writing

Anuj Sharma, WHO India; Sandeep Sarin, DBT; Rajan Kumar, WHO India; Vikas Manchanda, MAMC New Delhi; Vinita Chaudhary, DBT.

Annex I

Questionnaire - Indian Priority Pathogen List (IPPL)

Based on the literature search, data collated for the following criteria (in alignment with global PPL), subject to availability of information: (all-cause mortality, healthcare and community burden, prevalence of resistance, 10-year trend of resistance, transmissibility, preventability in hospital and community settings, treatability and current pipeline) was analysed to define the list of common bacterial species and resistance mechanisms. This information was used to develop a questionnaire that was sent to an identified list of experts based on their expertise.

A group of more than 60 experts with different backgrounds – infectious diseases, clinical microbiology, R&D, Infection prevention and control healthcare associated infections, public health, paediatric and intensive care were involved in the criteria weighting process through an online web-survey using SurveyMonkey.

Part 1

1. Introduction

About yourself

The aim of this exercise is to define the Indian Priority Pathogen List (IPPL) of antibiotic- resistant bacteria to support and incentivize research and development (R&D) for new antibiotics. We request you to participate in this online survey to provide your expert opinion regarding antibiotic-resistant bacteria in India based on your experience and local data.

7. City:			
8. State/UT:			
9. Email:			
10. Phone:			
11. Mobile:			
Experience			
ublications on AMR authored or co-authored by you in last 10 years:			
g antibiograms?			

3. Priority pathogens in India

Note: Instructions for question no. 15–19

Step 1: Please mark "N/A" to exclude options you consider unimportant or not a priority.

Step 2: Kindly rank your choices in order of priority. To change the ranking, you can drag your choices up and down. Alternatively, you can choose the drop-down menu at the beginning of each option to assign a rank. Please rank 1 as highest priority; higher the numbers, lower the priority.

- Enterobacteriaceae includes: Escherichia coli, Klebsiella species, Enterobacter species, Serratia species, Proteus species, and Providencia species, Morganella species, etc.
- Mycobacteria (including Mycobacterium tuberculosis), have not been included in this prioritization exercise as it is an
 identified global and national priority for which innovative new treatments are being developed.
- Non-fermenting bacteria include Pseudomonas aeruginosa, Acinetobacter species, etc.
- R=Resistant, S= Susceptible, NS= Non-susceptible

15. Kindly prioritize the following bacteria-drug resistance combinations based on your experience					
Acinetobacter baumannii, carbapenem-resistant					
Pseudomonas aeruginosa, carbapenem-resistant					
Enterobacteriaceae, carbapenem-resistant					
Enterococcus species, vancomycin-resistant					
Staphylococcus aureus, methicillin-resistant					
Staphylococcus aureus, vancomycin intermediate and resistant					
Shigella species, fluoroquinolone-resistant					
Salmonella species, fluoroquinolone-resistant					
Salmonella species, 3rd generation cephalosporin-resistant					
Neisseria gonorrhoeae, 3rd generation cephalosporin-resistant, fluoroquinolone-resistant					
Streptococcus pneumoniae, penicillin non-susceptible					
Haemophilus influenzae, ampicillin-resistant					
Helicobacter pylori, clarithromycin-resistant					
Campylobacter species, fluoroquinolone-resistant					
C. difficile, vancomycin/metronidazole-resistant					
16. Prioritize the following bacteria-drug resistance combinations, based on your experience.					
Enterobacteriaceae, carbapenem resistant, XDR and/or colistin-R					
Non-fermenting bacteria, XDR and/or colistin-R					
Staphylococcus aureus, vancomycin-R OR tigecycline-R OR daptomycin-R					
Staphylococcus aureus, linezolid-R					
Salmonella species (typhoidal), fluoroquinolone-R AND 3rd generation cephalosporin-R AND azithron carbapenem-R	nycin-R OR				
Salmonella species (non-typhoidal), fluoroquinolone-R AND 3rd generation cephalosporin-R AND azit R OR carbapenem-R	hromycin-				
Shigella species, 3rd generation cephalosporin-R OR carbapenem-R					
Enterococcus species, vancomycin-R OR daptomycin-R OR linezolid-R					
Neisseria gonorrhoeae, ceftriaxone-NS OR high-level azithromycin-R					
Neisseria meningitidis, ampicillin or penicillin-R OR 3rd generation cephalosporin-NS OR Fluoroquinol	ione-R				
Haemophilus influenzae, 3rd generation cephalosporin-R OR carbapenem-NS					
Streptococcus pneumoniae, linezolid-R OR vancomycin-NS					
Streptococcus, β-haemolytic group, ampicillin or penicillin-NS OR 3rd generation cephalosporin-NS					
Staphylococcus, coagulase-negative, Vancomycin-R OR daptomycin-R OR Linezolid-R					
C. difficile, vancomycin-R or metronidazole-R					
<i>"</i>					
17. Based on your experience, please prioritize carbapenem resistant gram-negative bacteria i importance in India	n order of their				
Acinetobacter species					
Pseudomonas aeruginosa					
Escherichia coli					
Klebsiella pneumoniae					
Enterobacter species					
Citrobacter species					
Serratia marcescens					
Servatia marcescens					
18. Based on your experience, please prioritize following colistin resistant gram-negative bacter importance in India	eria in order of their				
Pseudomonas aeruginosa					
Acinetobacter species					

	Escherichia coli
	Klebsiella species
	Enterobacter species
	Serratia marcescens
19.	Based on your experience, please prioritize the following vancomycin resistant gram-positive bacteria in order of their importance in India Staphylococcus aureus Coagulase Negative Staphylococci Enterococcus faecalis Enterococcus faecium Streptococcus pneumoniae C. difficile
Part 2	
4. Detaile	d questionnaire for IPPL
20.	Based on your experience, please prioritize following bacteria in order of their magnitude of AMR problem (high percentage of resistant isolates against many antimicrobials).
N	lark "N/A" to exclude options that are not considered a priority.
	lease rank 1 as highest priority; higher the numbers, lower the priority.
	Escherichia coli
	Klebsiella pneumoniae
	Enterobacter species
	Citrobacter species
	Serratia marcescens
	Proteus species
	Providencia species
	Morganella species
	Salmonella Typhi
	Salmonella Paratyphi A
	Non-typhoidal Salmonellae
	Shigella species
	Vibrio cholerae
	Pseudomonas aeruginosa
	Stenotrophomonas maltophilia
	Burkholderia cenacia

5. Prioritization of pathogens

Note: Instructions for question no. 22–48

Acinetobacter species

Campylobacter jejuni

Neisseria meningitidis

Haemophilus influenzae

Neisseria gonorrhoeae

Helicobacter pylori

Staphylococcus aureus

Coagulase Negative Staphylococci

Enterococcus species

Streptococcus pneumoniae

Beta-hemolytic Streptococci

Viridans group Streptococci

Clostridium difficile

Mark "N/A" to exclude options that are not considered a priority. Please rank 1 as highest priority; higher the numbers, lower the priority.

	Escherichia coli
	Klebsiella pneumoniae
	Enterobacter species
	Citrobacter species
	Serratia marcescens
	Proteus species
	Providencia species
	Morganella species
	Salmonella Typhi
	Salmonella Paratyphi A
	Non-typhoidal Salmonellae
	Shigella species
	Vibrio cholerae
	Pseudomonas aeruginosa
	Stenotrophomonas maltophilia
	Burkholderia cepacia
	Acinetobacter species
	Campylobacter jejuni
	Helicobacter pylori
	Clostridium difficile
	Neisseria meningitidis
$\overline{\Box}$	Haemophilus influenzae
	Neisseria gonorrhoeae
$\overline{\Box}$	Staphylococcus aureus
	Coagulase Negative Staphylococci
	Enterococcus species
	Streptococcus pneumoniae
	Beta-hemolytic Streptococci
	Viridans Group Streptococci
	Clostridium difficile
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of th ility to increase risk of mortality among infected patients
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of th ility to increase risk of mortality among infected patients Escherichia coli
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of th ility to increase risk of mortality among infected patients Escherichia coli Klebsiella pneumoniae
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of th ility to increase risk of mortality among infected patients Escherichia coli Klebsiella pneumoniae Enterobacter species
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of the ility to increase risk of mortality among infected patients **Escherichia coli** **Klebsiella pneumoniae** **Enterobacter species** **Citrobacter species** **Citrobacter species**
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of the ility to increase risk of mortality among infected patients **Escherichia coli** **Klebsiella pneumoniae** **Enterobacter species** **Citrobacter species** **Serratia marcescens**
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of the ility to increase risk of mortality among infected patients Escherichia coli Klebsiella pneumoniae Enterobacter species Citrobacter species Serratia marcescens Proteus species
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of the ility to increase risk of mortality among infected patients Escherichia coli Klebsiella pneumoniae Enterobacter species Citrobacter species Serratia marcescens Proteus species Providencia species
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of the ility to increase risk of mortality among infected patients Escherichia coli Klebsiella pneumoniae Enterobacter species Citrobacter species Serratia marcescens Proteus species Providencia species Morganella species
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of the ility to increase risk of mortality among infected patients Escherichia coli Klebsiella pneumoniae Enterobacter species Citrobacter species Serratia marcescens Proteus species Providencia species Morganella species Salmonella Typhi
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of the ility to increase risk of mortality among infected patients Escherichia coli Klebsiella pneumoniae Enterobacter species Citrobacter species Serratia marcescens Proteus species Providencia species Morganella species Salmonella Typhi Salmonella Paratyphi A
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of the ility to increase risk of mortality among infected patients Escherichia coli Klebsiella pneumoniae Enterobacter species Citrobacter species Serratia marcescens Proteus species Providencia species Morganella species Salmonella Typhi Salmonella Paratyphi A Non-typhoidal Salmonellae
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of the ility to increase risk of mortality among infected patients Escherichia coli Klebsiella pneumoniae Enterobacter species Citrobacter species Serratia marcescens Proteus species Providencia species Morganella species Salmonella Typhi Salmonella Paratyphi A Non-typhoidal Salmonellae Shigella species
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of the ility to increase risk of mortality among infected patients Escherichia coli Klebsiella pneumoniae Enterobacter species Citrobacter species Serratia marcescens Proteus species Providencia species Morganella species Salmonella Typhi Salmonella Paratyphi A Non-typhoidal Salmonellae Shigella species Vibrio cholerae
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of the ility to increase risk of mortality among infected patients Escherichia coli Klebsiella pneumoniae Enterobacter species Citrobacter species Serratia marcescens Proteus species Providencia species Morganella species Salmonella Typhi Salmonella Paratyphi A Non-typhoidal Salmonellae Shigella species Vibrio cholerae Pseudomonas aeruginosa
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of the ility to increase risk of mortality among infected patients Escherichia coli Klebsiella pneumoniae Enterobacter species Citrobacter species Serratia marcescens Proteus species Providencia species Morganella species Salmonella Typhi Salmonella Paratyphi A Non-typhoidal Salmonellae Shigella species Vibrio cholerae Pseudomonas aeruginosa Stenotrophomonas maltophilia
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of the ility to increase risk of mortality among infected patients Escherichia coli Klebsiella pneumoniae Enterobacter species Citrobacter species Serratia marcescens Proteus species Providencia species Morganella species Salmonella Typhi Salmonella Paratyphi A Non-typhoidal Salmonellae Shigella species Vibrio cholerae Pseudomonas aeruginosa Stenotrophomonas maltophilia Burkholderia cepacia
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of the illity to increase risk of mortality among infected patients Escherichia coli Klebsiella pneumoniae Enterobacter species Citrobacter species Serratia marcescens Proteus species Providencia species Morganella species Salmonella Typhi Salmonella Paratyphi A Non-typhoidal Salmonellae Shigella species Vibrio cholerae Pseudomonas aeruginosa Stenotrophomonas maltophilia Burkholderia cepacia Acinetobacter species
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of the illity to increase risk of mortality among infected patients Escherichia coli Klebsiella pneumoniae Enterobacter species Citrobacter species Citrobacter species Proteus species Providencia species Morganella species Salmonella Typhi Salmonella Paratyphi A Non-typhoidal Salmonellae Shigella species Vibrio cholerae Pseudomonas aeruginosa Stenotrophomonas maltophilia Burkholderia cepacia Acinetobacter species Campylobacter jejuni
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of the illity to increase risk of mortality among infected patients Escherichia coli Klebsiella pneumoniae Enterobacter species Citrobacter species Serratia marcescens Proteus species Providencia species Morganella species Salmonella Typhi Salmonella Paratyphi A Non-typhoidal Salmonellae Shigella species Vibrio cholerae Pseudomonas aeruginosa Stenotrophomonas maltophilia Burkholderia cepacia Acinetobacter species Campylobacter jejuni Neisseria meningitidis
	sed on your experience, please prioritize following antimicrobial resistant bacterial infections in order of to ility to increase risk of mortality among infected patients Escherichia coli Klebsiella pneumoniae Enterobacter species Citrobacter species Citrobacter species Proteus species Providencia species Morganella species Salmonella Typhi Salmonella Paratyphi A Non-typhoidal Salmonellae Shigella species Vibrio cholerae Pseudomonas aeruginosa Stenotrophomonas maltophilia Burkholderia cepacia Acinetobacter species Campylobacter jejuni

	Helicobacter pylori
	Staphylococcus aureus
	Coagulase Negative Staphylococci
	Enterococcus species
	Streptococcus pneumoniae
	Beta-hemolytic Streptococci
	Viridans group Streptococci
23.	Based on your experience, please prioritize following bacterial infections in order of their trends of emerging resistance in community
	Pneumonia
	Meningitis
	Skin and soft tissue infections (SSTI)
	Sepsis (blood stream infections)
	Urinary tract infections
	Diarrhoea & dysentery
	, ,
24.	Based on your experience, please prioritize following bacterial infections in order of their transmissibility
	Pneumonia
	Meningitis
	Skin and soft tissue infections (SSTI)
	Sepsis (blood stream infections)
	Urinary tract infections
	Diarrhoea & enteric infections
25.	Based on your experience, please prioritize following bacterial infections in order of their preventability in healthcare setting
	Pneumonia
	Meningitis
	Skin and soft tissue infections (SSTI)
	Sepsis (blood stream infections)
	Urinary tract infections
	Diarrhoea & enteric infections
26.	Based on your experience, please prioritize following bacterial infections in order of their treatability
	Pneumonia
	Meningitis
	Skin and soft tissue infections (SSTI)
	Sepsis (blood stream infections)
	Urinary tract infections
	Diarrhoea & enteric infections
27.	Based on your experience, please prioritize following bacterial infections in order of availability of newer antimicrobials in pipeline for their treatment
	Pneumonia
	Meningitis
	Skin and soft tissue infections (SSTI)
	Sepsis (blood stream infections) Urinary tract infections
	Diarrhoea & enteric infections
28.	Based on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem in Staphylococcus aureus
	Penicillin
	Methicillin/oxacillin/cefoxitin

	Erythromycin
	Clindamycin
	Ciprofloxacin
	Gentamicin
	Amikacin
	Vancomycin
	Teicoplanin
	Linezolid
	Daptomycin
29.	Based on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem
	in Enterococcus species
	Penicillin
	Aminoglycosides
	Macrolides
	Vancomycin
	Linezolid
	Fluoroquinolones
20	
30.	Based on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem
	in Streptococcus pneumoniae
	Amoxicillin
	Amoxicillin-clavulanate
	Third generation cephalosporins
	Carbapenems
	Vancomycin
	Erythromycin
	Azithromycin
	Clindamycin
	Tetracycline
	Fluoroquinolones
	Cotrimoxazole
	Chloramphenicol
21	
31.	Based on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem in Neisseria meningitidis
	Penicillin
	Third generation cephalosporins
	Carbapenems
	Azithromycin
	Minocycline
	Fluoroquinolones
	Cotrimoxazole
	Chloramphenicol
32.	Based on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem in Hemophilus influenzae
	Ampicillin
	Amoxycillin-clavulanate
	Third generation cephalosporins
	Carbapenems
	Azithromycin
	Fluoroguinolones
	Tetracycline
	Cotrimoxazole
	Chloramphenicol
	•

33.		sed on your experience, please prioritize following antimicrobials in order of their magnitude of AMR oblem in <i>Escherichia coli</i>
		Gentamicin
		Amikacin
		Amoxicillin-clavulanate
		Ampicillin–sulbactam
		Piperacillin-tazobactam
	Ш	3rd generation cephalosporins
	Ц	Aztreonam
	Ц	Carbapenems
	Ц	Fluoroquinolones
	Ц	Chloramphenicol
	닏	Tetracycline
	닏	Minocycline
	닏	Fosfomycin
	Ц	Nitrofurantoin
	Ш	Polymyxins (e.g. colistin)
34.		ed on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem Klebsiella pneumoniae
	H	Gentamicin
	H	Amikacin
	H	Amoxicillin-clavulanate
	H	Ampicillin–sulbactam
	H	Piperacillin-tazobactam
	H	3rd generation cephalosporins
	H	Aztreonam
	H	Carbapenems
	H	Fluoroquinolones
	H	Chloramphenicol
	H	Tetracycline
	H	Minocycline
	H	Fosfomycin
	H	Nitrofurantoin
		Polymyxins (e.g. colistin)
35.		sed on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem Enterobacter species
	H	Gentamicin
	H	Amikacin
	H	Amoxicillin-clavulanate
	H	Ampicillin–sulbactam
	H	Piperacillin-tazobactam
	H	3rd generation cephalosporins
	H	Aztreonam
	H	Carbapenems
	H	Fluoroquinolones
	H	Chloramphenicol
	H	Tetracycline
	H	Minocycline
	H	Fosfomycin
	H	Nitrofurantoin
	_	Polymyxins (e.g. colistin)

36.	6. Based on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem				
	in	Proteus mirabilis			
		Gentamicin			
		Amikacin			
		Amoxicillin-clavulanate			
	Ш	Ampicillin–sulbactam			
	Ш	Piperacillin-tazobactam			
	Ш	3rd generation cephalosporins			
	Ц	Aztreonam			
	브	Carbapenems			
	브	Fluoroquinolones			
	브	Chloramphenicol			
	ዞ	Tetracycline			
	H	Minocycline			
	ዞ	Fosfomycin			
	Ш	Nitrofurantoin			
37.	in	sed on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem Morganella morganii Gentamicin Amikacin Amoxicillin-clavulanate Ampicillin-sulbactam			
		Piperacillin-tazobactam			
		3rd generation cephalosporins			
		Aztreonam			
		Carbapenems			
	Ш	Fluoroquinolones			
	Ц	Chloramphenicol			
	브	Tetracycline			
	브	Minocycline			
	브	Fosfomycin			
	Ш	Nitrofurantoin			
38.		sed on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem Shigella species			
	H	Ampicillin			
	H	Piperacillin-tazobactam			
	H	3rd generation cephalosporins			
	H	Carbapenems			
	H	Fluoroquinolones			
	H	Chloramphenicol			
	H	Tetracycline			
	ш	Azithromycin			
39.		sed on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem Salmonella Typhi			
	H	Ampicillin			
	H	Piperacillin-tazobactam			
	H	3rd generation cephalosporins			
	H	Carbapenems			
	H	Fluoroquinolones			
	H	Chloramphenicol			
	H	Cotrimoxazole			
	Ħ	Tetracycline Anithropycin			
	_	Azithromycin			

40.	Based on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem in Salmonella Paratyphi A
	Ampicillin
	Piperacillin-tazobactam
	3rd generation cephalosporins
	Carbapenems
	Fluoroquinolones
	Chloramphenicol
	Cotrimoxazole
	Tetracycline
	Azithromycin
41.	Based on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem in non-typhoidal Salmonella
	Ampicillin
	Piperacillin-tazobactam
	3rd generation cephalosporins
	Carbapenems
	Fluoroquinolones
	Chloramphenicol
	Cotrimoxazole
	Tetracycline
	Azithromycin
42.	Based on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem in <i>Vibrio cholerae</i> Ampicillin 3rd generation cephalosporins Carbapenems
	Fluoroquinolones
	Azithromycin Chloramphenicol
	Amikacin
	Tetracycline
	Gentamicin
	Cotrimoxazole
	Chloramphenicol
	Tetracycline
43.	Based on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem in <i>Campylobacter jejunii</i> / Helicobacter species
	Ampicillin/amoxicillin
	Metronidazole
	Azithromycin
	Clarithromycin
	Cotrimoxazole
	Fluoroquinolones
44.	Based on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem in Acinetobacter species
	Piperacillin
	Gentamicin
	Amikacin
	Tobramycin
	Netilmicin
	☐ Ticarcillin-clavulanate

		Ampicillin-sulbactum			
		Piperacillin-tazobactam			
		3rd generation cephalosporins			
	Ш	Carbapenems			
	Н	Fluoroquinolones			
	ዞ	Chloramphenicol			
	ዞ	Doxycycline			
	Н	Minocycline			
	ш	Polymyxins (e.g. colistin)			
45. Based on your experience, please prioritize following antimicrobials in order of their magnitude of AMR probin <i>Pseudomonas aeruginosa</i>					
	Н	Gentamicin			
	브	Amikacin			
	\vdash	Tobramycin			
	Н	Piperacillin-tazobactam			
	Н	3rd generation cephalosporins			
	H	Aztreonam			
	H	Carbapenems			
	H	Fluoroquinolones			
	H	Chloramphenicol			
	H	Tetracycline			
	H	Minocycline			
	H	Fosfomycin			
	H	Nitrofurantoin			
		Polymyxins (e.g. colistin)			
46.		ed on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem Burkholderia cepacia Ticarcillin-clavulanate 3rd generation cephalosporins Carbapenems Fluoroquinolones Chloramphenicol Minocycline Cotrimoxazole			
47.		sed on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem Stenotrophomonas maltophilia			
		Ticarcillin-clavulanate			
	$\overline{\Box}$	3rd generation cephalosporins			
		Aztreonam			
		Fluoroquinolones			
		Chloramphenicol			
		Minocycline			
		Cotrimoxazole			
48.		sed on your experience, please prioritize following antimicrobials in order of their magnitude of AMR problem Neisseria gonorrhoeae Ampicillin 3rd generation cephalosporins Fluoroquinolones			
		Azithromycin			
	$\bar{\Box}$	Spectinomycin			
	$\bar{\Box}$	Tetracycline			
		- chaopenine			